


Cheque Deposit KIOSK



(a) Key Features:

1. Quick & easy to install and service.
2. Display proper screen message to customer.
3. Increased customer satisfaction.
4. Reduce customer churn.
5. Easy Cheque Deposit.

**Kiosk has following components:**

1. Kiosk Application. (Software loaded on CPU unit)
2. CPU unit.
3. Cheque Scanner device.
4. Thermal Receipt Printer.
5. Display 15.6" with touch screen SAW type.
6. 6+6 electronic lock.
7. Bio-finger scanner.
8. Speaker for Voice Guidance.

(b) General Specification of Components:**(i) CPU:**

1. Intel processor (i3) on Windows 7 OS.
2. 2 GB DDR3 RAM
3. 2X500 GB SATA HDD.
4. USB ports
5. DVD writer.

(ii) Display 15.6" Display with touch screen (Saw type)

- 15.6" LED display.
- 15.6" saw touch screen mounted on LED screen.

(iii) *Cheque scanner device: Model CX30 UV*

- Linear path scanner
- Concurrent Two-Sided Duplex
- Contact Image Sensor (CIS)
- Tri-Color LEDs
- Enhance MICR Read
- Integrated inkjet endorser (back side of Cheque)

(iv) *Receipt Printer:*

- 40 column Thermal Printer
- Capable of printing graphics on receipt

(v) *Bio Scanner:*

- Bio - Finger print scanner for authentication.

(vi) *Electronic lock (Mounted on safe):*

- 6+6 Electronic lock for safe opening.

(vii) *Speaker for Voice guidance:*

- 02 speakers (LH+RH) for voice guidance.

(viii) *Cheque collection box:*

- 01 Cheque collection box for collecting deposited Cheque.

(c) Attribute:

- Dimensions :(in mm): Height: 1485mm, Width: 442mm, Depth: 687mm
- Input Voltage: - 220V-240V
- Wattage: - 250W (Max.)
- Weight: - 315 Kg (Approx)